


**TECHNOLOGICAL  
INNOVATION**

**NO SCREW CONNECTION**

Seamless Stitching  
Sturdy And Durable



**1000W**  
**ONE-TIME CONCATENATION**  
Free Splicing  
Easy Installation





# LED LINEAR LIGHT

*Innovated Exclusive Private Linear Light  
Overturn Traditional Connecting Design  
The more you connect, the more you save!*

## LED LINEAR LIGHT


- Anti-glare frosted lampshade
- High light transmittance
- Ensure the height while soft light is not dazzling

Free connecting

	P	Size	PF	Lm/w	Material
Linear Light-20W	20W	600*50*55mm	>0.9	>120	Aluminum+PC
Linear Light-30W	30W	900*50*55mm	>0.9	>120	Aluminum+PC
Linear Light-40W	40W	1200*50*55mm	>0.9	>120	Aluminum+PC
Linear Light-50W	50W	1500*50*55mm	>0.9	>120	Aluminum+PC
Linear Light-68W	68W	2000*50*55mm	>0.9	>120	Aluminum+PC


| 170/265V | | IP20 | CRI>80 | | | CCT:3000K/4000K/6500K





### Recessed mounted kit

- Hanging board\*2
- 5\*80 machine line\*2
- M5\*5 flange female\*6



### Surface mounted kit

- Board\*2
- Screw bag\*1



### Suspended mounted kit

- Rally head\*2
- 1.5m steel cable lagging\*2
- 7\*15M4\*2
- 60 cover \*2
- Screw accessories package\*1





### X Shaped Connection-10.5W

P: 10.5W  
Size: 181\*181\*58mm  
PF: >0.9  
Fiux: >100  
CRI: >80  
Material: Aluminum+PC  
CCT:3000K/4000K/6500K



#### CROSS CONNECTION ACCESSORIES

- 4 copper locks\*1
- Rally head\*1
- 1.5m steel cable lagging\*1
- 0.5m steel cable headed on both sides +7\*15M4\*4
- 60 cover \*1
- Screw accessories package\*1
- Hanging board\*4



### L Shaped Connection-6.5W

P: 6.5W  
Size: 116.5\*116.5\*58mm  
PF: >0.9  
Fiux: >100  
CRI: >80  
Material: Aluminum+PC  
CCT:3000K/4000K/6500K



#### L-JOINT ACCESSORIES

- 2 copper locks\*1
- 2Rally head\*1
- 21.5m steel cable lagging\*1
- 20.5m steel cable headed on both sides +7\*15M4\*2
- 260 cover \*1
- 2Screw accessories package\*1
- 2Hanging board\*2



### T Shaped Connection-8.5W

P: 8.5W  
Size: 181\*116.5\*58mm  
PF: >0.9  
Fiux: >100  
CRI: >80  
Material: Aluminum+PC  
CCT:3000K/4000K/6500K



#### T-JOINT ACCESSORIES

- 2 copper locks\*1
- Rally head\*1
- 1.5m steel cable lagging\*1
- 0.5m steel cable headed on both sides +7\*15M4\*2
- 60 cover \*1
- Screw accessories package\*1
- Hanging board\*2



### MULTIPLE WIRE PLUG



XT1 three-wire PC plug, 18AWG over UL, wire length 30cm, outer strip 40mm, inner strip 10mm, ground wire is yellow-green, in line with ROHS



XT1 three-wire PC plug, 18AWG over UL, wire length 150cm, outer strip 40mm, inner strip 10mm, ground wire is yellow-green, in line with ROHS



XT1 three-wire PC double plug, 18AWG over UL, wire length 200cm, the ground wire is yellow-green, in line with ROHS



